STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Facility Information

RESULT: Satisfactory

Permit Number: 13-48-12118
Name of Facility: Royal Green Elementary/ Loc.# 4741
Address: 13047 SW 47 Street
City, Zip: Miami 33175

Type: School (more than 9 months)
Owner: MDCPS
Person In Charge: Morayma Cortes Rodriguez Phone: (305)221-5322
PIC Email: mortega1@dadeschools.net

Inspection Information

Purpose: Routine
Inspection Date: 8/27/2026
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 1
FacilityGrade: N/A
StopSale: No

Begin Time: 11:20 AM
End Time: 12:00 PM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION
IN 1. Demonstration of Knowledge/Training
IN 2. Certified Manager/Person in charge present
EMPLOYEE HEALTH
IN 3. Knowledge, responsibilities and reporting
IN 4. Proper use of restriction and exclusion
IN 5. Responding to vomiting & diarrheal events
GOOD HYGIENIC PRACTICES
IN 6. Proper eating, tasting, drinking, or tobacco use
IN 7. No discharge from eyes, nose, and mouth
PREVENTING CONTAMINATION BY HANDS
IN 8. Hands clean & properly washed
IN 9. No bare hand contact with RTE food
OUT 10. Handwashing sinks, accessible & supplies **(COS)**
APPROVED SOURCE
IN 11. Food obtained from approved source
IN 12. Food received at proper temperature
IN 13. Food in good condition, safe, & unadulterated
IN 14. Shellstock tags & parasite destruction
PROTECTION FROM CONTAMINATION
IN 15. Food separated & protected; Single-use gloves
IN 16. Food-contact surfaces; cleaned & sanitized
IN 17. Proper disposal of unsafe food
TIME/TEMPERATURE CONTROL FOR SAFETY
IN 18. Cooking time & temperatures
IN 19. Reheating procedures for hot holding
IN 20. Cooling time and temperature
IN 21. Hot holding temperatures
IN 22. Cold holding temperatures
IN 23. Date marking and disposition
NA 24. Time as PHC; procedures & records
CONSUMER ADVISORY
NA 25. Advisory for raw/undercooked food
HIGHLY SUSCEPTIBLE POPULATIONS
IN 26. Pasteurized foods used; No prohibited foods
ADDITIVES AND TOXIC SUBSTANCES
IN 27. Food additives: approved & properly used
IN 28. Toxic substances identified, stored, & used
APPROVED PROCEDURES
NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Good Retail Practices

SAFE FOOD AND WATER
IN 30. Pasteurized eggs used where required
IN 31. Water & ice from approved source
NA 32. Variance obtained for special processing
FOOD TEMPERATURE CONTROL
IN 33. Proper cooling methods; adequate equipment
IN 34. Plant food properly cooked for hot holding
IN 35. Approved thawing methods
IN 36. Thermometers provided & accurate
FOOD IDENTIFICATION
IN 37. Food properly labeled; original container
PREVENTION OF FOOD CONTAMINATION
IN 38. Insects, rodents, & animals not present
IN 39. No Contamination (preparation, storage, display)
IN 40. Personal cleanliness
IN 41. Wiping cloths: properly used & stored
IN 42. Washing fruits & vegetables
PROPER USE OF UTENSILS
IN 43. In-use utensils: properly stored
IN 44. Equipment & linens: stored, dried, & handled
IN 45. Single-use/single-service articles: stored & used
IN 46. Slash resistant/cloth gloves used properly
UTENSILS, EQUIPMENT AND VENDING
OUT 47. Food & non-food contact surfaces **(R)**
IN 48. Ware washing: installed, maintained, & used; test strips
IN 49. Non-food contact surfaces clean
PHYSICAL FACILITIES
IN 50. Hot & cold water available; adequate pressure
IN 51. Plumbing installed; proper backflow devices
IN 52. Sewage & waste water properly disposed
IN 53. Toilet facilities: supplied, & cleaned
IN 54. Garbage & refuse disposal
IN 55. Facilities installed, maintained, & clean
IN 56. Ventilation & lighting
IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #10. Handwashing sinks, accessible & supplies
Observed only handwashing sink in the kitchen/food prep area with no disposable paper towels and empty soap bag inside the soap dispenser. Per PIC, they wash their hands in the restroom handwashing sink. Ensure all handwashing sinks are equipped with hand soap and disposable paper towels. (Corrected on site)
CODE REFERENCE: 64E-11.003(5)(d). Handwashing sinks are properly equipped with hand soap, individual disposable towels or hand drying device, and signage; and conveniently located.

Violation #47. Food & non-food contact surfaces
-Observed out-of-order steamer, TAG#1003846. Per PIC, this is beyond repair. Replace steamer.[This is a repeat violtion from last routine inspection 04/24/26]

-Observed cold line TAG#1003837/PC543264 with missign front leg. Repair/replace. Work order#458279.

-Observed single-door Traulsen refrigeratorPC#0729865/TAG 1003834 dripping water inside; water was being collected on a food tray observed on top rack. Repair/replace.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

General Comments

This school is a satellite of Bent Tree Elementary.

Hot water at: handwashing sink 122F, wash sink 118F, mop sink 115F, employee restroom sink 104F.
Sanitizer concentration/water temperature: 200ppm(QAT)/80F

Refrigerator #1 temperature: 34F
Refrigerator #2 41F
Refrigerator #3 38F
Refrigerator #4 36F
Freezer#1 2F
Freezer#2 -2F
Freezer#3 7F

Food temperature:
Hot serving line: ground beef 171F, rice 165F
Warmer: mozzarella stick 180F
Refrigerator: peach yogurt 40F, chunk light tuna 40F, sliced watermelon 39F, milk 38F, cream cheese 40F
milk/milkbox 40F

Note: Kitchen staff complained of A/C not working. Recorded temperature with Extech environmental meter at time of inspection, 79F.

Classic Thermapen digital thermometer used to measure food and water temperatures at the time of this inspection.

Email Address(es): mortega1@dadeschools.net;
apascual@dadeschools.net;
239093@dadeschools.net

Inspection Conducted By: Venus Fernandez (082515)
Inspector Contact Number: Work: (305) 623-3516 ex.
Print Client Name: A. Pascual-Principal
Date: 8/27/2026

Inspector Signature:

Client Signature: